



# ABSCO SHEDS

So Tough. Too Easy.

## SHEDS & OUTDOOR STRUCTURES

[www.WholesalesDirect.com.au](http://www.WholesalesDirect.com.au)

**BUY TODAY - GET IT QUICK! CALL: 1800 793 783**

- Easy SNAPTITE assembly - the world's fastest system
- 30 Year written warranty
- Made from quality BlueScope Steel
- Engineered to withstand cyclonic conditions (147 km/hr winds)
- Pre-drilled holes for fast assembly
- Rolled safety edges
- Superior wall rigidity
- Braced doors
- Australian made and owned

**SNAPTITE**  
**ABSCO SHEDS** | World's Easiest Assembly System  
UNIQUE PATENTED SYSTEM



**PREMIER SHED Model No. 30302GK**  
3.00m x 3.00m x 2.06m Shown in Woodland Grey®



**REGENT SHED Model No. 30292RK**  
3.00m x 2.92m x 2.06m Shown in Paperbark®

# WIN A SHED! \*

Register online at [www.abscosheds.com.au/winashed](http://www.abscosheds.com.au/winashed) for your chance to win an Absco shed valued up to \$1000.

Terms and conditions online.

# THE SNAPTITE REVOLUTION

**SNAPTITE is an innovative patented design that dramatically reduces the time and effort required to assemble the range of Absco Sheds.**

## **Reduces screws by 75%**

All Absco garden sheds, storage units and aviaries, unless otherwise stated feature the revolutionary SNAPTITE assembly system. SNAPTITE permanently locks all perimeter channels to the roof and wall sheets without the need for tools and screws. Most other connection points have been fully pre-punched to maximise the ease of assembly.


## **Absco Sheds assemble up to 80% faster than competitors' sheds**

A separate step by step assembly instruction booklet is supplied for each individual product, model and size. Most components are marked with individual part numbers, which are also clearly identified throughout the three dimensional drawings displayed in the assembly instruction booklets.




## **SNAPTITE in action**

1. Use the pre-punched holes to join the shed walls with only nine screws per panel\*




\*Applies to individual 3 x 3m wall panel.  
\*\*Channel colour is for illustration purposes only.

2. Position the channel over the edge of the panel



3. Gently tap the channel to lock firmly in place




**Want to know more?**

Scan the QR code to watch the SNAPTITE demonstration video.


# THE WORLD'S EASIEST SHEDS, ONLY NINE SCREWS REQUIRED

\*Applies to individual 3 x 3 wall panel. Smaller sheds require LESS screws.




## **STEP 1.**

Join the sheets together at pre-punched locations to form roof and wall panels. **Tools required:** Power drill or screw driver.




## **STEP 2.**

SNAPTITE the perimeter channels to the panels. **Tools required:** None.



## **STEP 3.**

Join the ridge beam, roof and wall panels together at pre-punched locations. **Tools required:** Power drill or screw driver.





# SPACE SAVER STORAGE UNIT KIT

Space Saver Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓

The ultimate storage unit for those areas where space is limited. Fits under eaves and is large enough to store tools, sporting equipment etc. Ideal for storage in garages and carports in unit complexes.



W50 cyclone kit not available for this model. Skylight Sheets are not suitable for Space Saver Sheds.

\*These models are rated to W50(c2)



**Model No. 30082SK**

3.00m x 0.78m x 1.95m  
Shown in Classic Cream™



**Model No. 15081SK**

1.52m x 0.78m x 1.95m  
Shown in Woodland Grey®



**Model No. 15151SK**

1.52m x 1.52m x 2.08m  
Shown in Zincalume®



**Model No. 23081SK**

2.26m x 0.78m x 1.95m  
Shown in Zincalume®



**Model No. 23151SK**

2.26m x 1.52m x 2.08m  
Shown in Classic Cream™



# PREMIER GARDEN SHED KIT

Designed for maximum strength and manufactured from low maintenance ribbed steel sheeting for added security. Comes with gable roof and one or two door configurations. For number of doors and dimensions see model diagrams below.



**Model No. 30302GK**

3.00m x 3.00m x 2.06m  
Shown in Paperbark®



**Model No. 23231GK**

2.26m x 2.26m x 2.00m  
Shown in Pale Eucalypt®



**Model No. 23151GK**

2.26m x 1.52m x 1.95m  
Shown in Zinalume®

**MODEL 15151GK\***




**MODEL 23151GK**



**MODEL 23231GK**



**MODEL 23301GK**



**MODEL 30152GK**





Premier Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)	Deep Ocean® (DO)
	✓	✓	✓	✓	✓	✓



\*These models are rated to W50(c2)



**Model No. 15151GK**  
1.52m x 1.52m x 1.95m  
Shown in Classic Cream™



**Model No. 23301GK**  
2.26m x 3.00m x 2.06m  
Shown in Woodland Grey®



**Model No. 30232GK**  
3.00m x 2.26m x 2.00m  
Shown in Pale Eucalypt®



30 YEAR  
WRITTEN WARRANTY

All Absco Sheds come with a 30 year Written Warranty (flooring kit 10 years).

# REGENT GARDEN SHED KIT

Designed to add value to your home the **Regent range** of garden sheds is manufactured from low maintenance ribbed steel sheeting. Doors open at the gable end and the roof has a slight overhang to add to the overall appearance. Doors are hinged for added security and braced for strength and rigidity.



**Model No. 30292RK**

3.00m x 2.92m x 2.06m  
Shown in Paperbark®



**Model No. 15141RK**

1.52m x 1.44m x 1.95m  
Shown in Paperbark®



**Model No. 30142RK**

3.00m x 1.44 m x 2.06m  
Shown in Pale Eucalypt®



Regent Colour Options	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓



\*These models are rated to W50(c2)



**Model No. 23221RK**

2.26m x 2.18m x 2.00m  
Shown in Woodland Grey®



**Model No. 30222RK**

3.00m x 2.18m x 2.06m  
Shown in Classic Cream™



**Model No. 23141RK**

2.26m x 1.44m x 2.00m  
Shown in Woodland Grey®



# DAYLITE SHED KIT

Manufactured from low maintenance ribbed steel sheeting our DAYLiTE shed lets in more light with it's exclusive tinted acrylic skylight panel. With its architecturally designed reverse skillion roof, the Daylite shed is a perfect addition to any backyard.

The roof has a slight overhang to add to the overall appearance. Doors are hinged for added security and braced for strength and rigidity.

DAYLiTE Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓



**MODEL 15151DK**



**Model No. 15151DK**

1.52m x 1.52m x 2.08m  
Shown in Woodland Grey®





# HIGHLANDER SHED KIT

Extra high garden shed, 2035mm highwalls, 2300mm high at the gable. Ideal for the taller guy and the serious handyman.

Highlander Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓



**Model No. 3060HK**

3.00m x 5.96m x 2.30m  
Shown in Woodland Grey®



**Model No. 30292HK**

3.00m x 2.92m x 2.30m  
Shown in Pale Eucalypt®



**EXTRA  
HIGH  
GARDEN  
SHED**

**Model No. 3045HK**

3.00m x 4.48m x 2.30m  
Shown in Woodland Grey®





# WORKSHOP SHED KIT

The ultimate garden shed - suitable as a workshop for the hobbyist or a large storage area for the serious gardener or home handyman.



Workshop Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓




**Model No. 45232WK**

4.48m x 2.26m x 2.00m  
Shown in Zincalume®



**Model No. 60303WK**

5.96m x 3.00m x 2.06m  
Shown in Zincalume®



**SNAPTITE**  
**ABSCO SHEDS** | World's Easiest Assembly System  
UNIQUE PATENTED SYSTEM

# UTILITY SHED KIT

Designed for your trailer, boat, car or anything you can think of. Featuring extra large door opening in gable end, personal access side door with doors braced for strength and security, heavy duty reinforced central and front internal frames.




Utility Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓



**Model No. 3060UTK**

3.00m x 5.96m x 2.06m  
Shown in Woodland Grey®



**Model No. 3045UTK**

3.00m x 4.48m x 2.06m  
Shown in Pale Eucalypt®



**SNAPTITE**  
**ABSCO SHEDS** | World's Easiest Assembly System  
UNIQUE PATENTED SYSTEM





# EZI STORAGE RANGE

Ezistorage Range Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Classic Cream™ (CC)
	✓	✓	✓

\* Cyclone Kit not available for this model

## EZISLIDER STORAGE UNIT KIT



**Model No. 30082EK**

3.00m x 0.78m x 1.95m  
Shown in Pale Eucalypt®



The Ezislider fits under eaves and is large enough to store tools and gardening equipment. Ideal for use in carports and garages in unit complexes. The double sliding doors allow easy access for storing the lawn mower and all your gardening tools and sporting equipment.

*Cyclone Kits are not suitable for the Ezi Storage range of garden sheds.*

## EZISLIM STORAGE UNIT KIT



**Model No. 08151FK**

0.78m x 1.52m x 1.80m  
Shown in Classic Cream™



The Ezislid shed is perfect for those tight storage spaces, such as balconies and eaves.

*Cyclone Kits are not suitable for the Ezi Storage range of garden sheds.*


## EZICOMPACT STORAGE UNIT KIT



**Model No. 08081FK**

0.78m x 0.78m x 1.80m  
Shown in Zincalume®

**MODEL 08081FK**



The smallest shed in our range. The Ezi Compact is sure to please where storage is needed in very tight spaces, balconies, units, garages and indoor complexes to store all sporting or gardening items.

*Cyclone Kits are not suitable for the Ezi Storage range of garden sheds.*



# AVIARIES & CHICKEN COOPS

## Features:

- All steel construction facilitates cleaning and is more hygienic
- Wider mesh panels for better viewing
- Standard mesh is 12.5mm sq x 1.2mm thick

Can be used as dog kennels, catteries, hen houses or animal shelters.

Aviary Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)
	✓	✓

## Dine-A-Chook Feeder and Drinker

Dine-A-Chook is the easiest all-in-one chicken feeder and drinker system. It is a clean, low-maintenance solution to feeding your chickens, and can be easily installed into any Absco Aviary or Chicken Coop.

Dine-A-Chook's internal feed-storage chamber will save up to 80% of your feed. The PVC fittings and bolt-on storm cover guarantee your feed will remain completely dry in all weather conditions!



The feeder and drinker system is mounted off the ground which dramatically reduces the presence of rodents, pests and feral birds.

### The Dine-A-Chook Feeder and Drinker set includes -

- 1 x 4 KG Chicken Feeder
- 1 x 3.5 L Drinker
- All screws and bolts required to mount your feeder and drinker



**Model No. A15081FK**  
Shown with Dine-A-Chook Feeder and Drinker.

1.52m x 0.78m x 1.80m  
Shown in Zincalume®



**Model No. A15151FK**

1.52m x 1.48m x 1.80m  
Shown in Zincalume®



**Model No. A23231GK**

2.26m x 2.22m x 2.00m  
Shown in Pale Eucalypt®



# POOL PUMP COVER

Designed to cover most domestic pool pump and filter systems, Absco Pool Pump Covers have a hinged roof and hinged front access door.

Pool Pump Cover Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓



**Model No. PPCK**  
1.52m x 1.52m x 1.49m  
Shown in Classic Cream™



**Model No. PPCK**  
1.52m x 1.52m x 1.49m  
Shown in Classic Cream™



# BASIC SHED KIT

Available in flat roof as shown below. Skylight not available. Door is hinged for added security.

Basic Shed Colour Options	Zincalume® (ZA)
	✓



\* Cyclone Kit not available for this range



**Model No. 15301FK**  
1.52m x 3.00m x 1.80m  
Shown in Zincalume®



**Model No. 15231FK**  
1.52m x 2.26m x 1.80m  
Shown in Zincalume®



# GARAGES SINGLE

Garage Single Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓	✓



**Model No. G643327RD**

3.70m x 6.00m x 2.98m  
Shown in Zincalume®

Door clearance: 2.76mW x 2.15mH

Single Garages are so versatile!  
Use as a workshop, wet weather drying area or entertainment area. The Single Garage is large enough for the largest family vehicle and yet small enough to fit in most suburban yards.

**Options available:** Skylight sheet

(Size: 1900mm x 750mm)

**All have the following features:**

- Personal access door
- Engineers plans for submission to local authority required, check with your local council before ordering.
- Easy to follow assembly instructions
- Downpipes and gutters
- For non-cyclonic areas only
- Cyclonic Kit upgrades not available



# COMPACT GARAGES SINGLE & DOUBLE

Compact Garage Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓	✓



**Model No. COMM5541TN**

5.60m x 5.50m x 2.66m  
Shown in Pale Eucalypt®

**All have the following features:**

- Engineers plans for submission to local authority required, check with your local council before ordering.
- Easy to follow assembly instructions
- All galvanised framing sections marked with part numbers for easy identification
- Downpipes and gutters
- Maintenance free all steel construction
- For non-cyclonic areas only
- Cyclonic Kit upgrades not available.

**Options available:**

Skylight sheet (Size: 1900mm x 750mm),  
Personal access door



**Model No. COM5541BN**

5.60m x 5.50m x 2.66m  
Shown in Zincalume®



WIND RATING: W41N-N3

WIND RATING: W41N-N3

WIND RATING: W41N-N3

WIND RATING: W41N-N3



# DOUBLE GARAGES TILT DOOR MODELS

Double Garage Tilt Door Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓	✓

## All have the following features:

- Personal access door
- Engineers plans for submission to local authority required, check with your local council before ordering.
- Separate & easy to follow assembly instruction booklets are supplied for each individual model & size garage
- All components cut to exact size, including front & rear wall angle sheets.
- All galvanised framing sections marked with part numbers for easy identification
- Downpipes and gutters
- Maintenance free all steel construction
- A substantial number of pre-punched components
- For non-cyclonic areas only
- Cyclonic Kit upgrades not available


## Option available:

Skylight sheet  
(Size: 1900mm x 750mm)



**Model No: G664124T1**

6.00m x 6.00m x 2.87m  
Shown in Zincalume®



# DOUBLE GARAGES ROLLER DOOR MODELS



**Model No. G663325R2**

6.00m x 6.00m x 3.02m  
Shown in Pale Eucalypt®

## All have the following features:

- Personal access door
- Engineers plans for submission to local authority required, check with your local council before ordering.
- Separate & easy to follow assembly instruction booklets are supplied for each individual model & size garage
- All components cut to exact size, including front & rear wall angle sheets
- All galvanised framing sections marked with part numbers for easy identification
- Downpipes and gutters
- Maintenance free all steel construction
- A substantial number of pre-punched components
- For non-cyclonic areas only
- Cyclonic Kit upgrades not available

## Option available:

Skylight sheet (Size: 1900mm x 750mm)



Double Garages Roller Door Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓	✓

# CARPORTS

## SKILLION ROOF



Carports Skillion and Gable Roof Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
	✓	✓	✓	✓	✓

ABSCO Skillion Roof carports are constructed of heavy duty galvanised steel framing with solid RHS steel posts.



### All carports have the following features:

- Framework is pre-punched
- All fixings, including the concrete slab attachments are standard
- Engineers plans for submission to local authority, check on their requirements before ordering
- Easy to follow assembly instructions.
- Gutters form part of the roof frame and separate downpipes are included
- Maintenance free all steel construction.

### Options available:

Standard clearance is 2.06m. Height extensions of 300mm and 600mm are available and must be included at time of ordering.



# CARPORTS

## GABLE ROOF

Gable Roof carports incorporate triple web trusses for maximum strength and stability, with solid steel construction.



### Options available:

Standard clearance is 2.25m. Height extensions of 300mm and 600mm are available and must be included at time of ordering.





# PATIO COVER

This easy to assemble kit form Patio Cover can be easily attached to any wall of your house and is wide enough to double as a carport. Featuring easy to follow, step by step assembly instructions. Modules of 3m allow for any length. Council plans provided which include guidelines on how to attach to timber/ metal fascia & brick work (basic model rated W50 (C2) cyclonic).

**Optional available** - skylight panel (replaces one roof sheet, size: 2930 x 750) available at extra cost



Patio Cover Colour Options	Zincalume® (ZA)	Pale Eucalypt® (PE)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
Roof	✓	✓	✓	✓	✓
Frame and posts	✓			✓	

\*The frame and posts of your Colorbond® Patio Cover are only available in Classic Cream™.

\*\* Colour not included on both sides. The underside of the Patio Cover is grey.

Zincalume® Patio Covers come with Zincalume® frame and posts.





# ACCESSORIES



## Anchor Kits

For permanent secure installation of your garden shed, it is necessary to use Concrete Anchor sets which are available from your Absco stockist, sold in sets of 8 & 12. Manufacturer's 10 year warranty.

Shed Size	Anchors Required
1.50m x 0.78m	8
2.25m x 0.78m	8
3.00m x 0.78m	8
1.50m x 1.50m	8
3.00m x 1.50m	12
2.25m x 1.50m	12
2.25m x 2.25m	12
3.00m x 2.25m	12
3.00m x 3.00m	12
3.00m x 3.70m	16
4.50m x 2.25m	16
4.50m x 3.00m	16
6.00m x 3.00m	24



## Shed Blanket (Absins)


A new product for keeping your shed cool in Summer, warm in Winter and dry all year round. Manufacturer's 15 year warranty

**Roll size:** 3.2m x 1.5m

## Shelf Model (503)

1.8 x 0.91 x 0.4m

Budget 5 shelf system in galvanised steel, nut and bolt assembly, 50 KG load capacity per shelf. Manufacturer's 1 year warranty.



Skylight



Sliding perspex window

## Skylight/Sliding Perspex Window

Skylight sheets are only available for use on 3m wide garden sheds, garages and awnings Manufacturer's 10 year warranty.


Suitable for	Model
Awnings Skylight: 2930mm (L) x 780mm (W)	SKYAW
Garages Skylight: 1900mm (L) x 750mm (W)	SKYGA
Garden sheds Skylight: 1545mm (L) X 330mm (W)	SKYSH
Sliding Perspex Window: 220mm (L) x 700mm (W)	SLPW

\*Maximum of one perspex window per 3 metre panel.

\*Skylights are not available for the Space Saver or the Ezi Slider range



Timber flooring 1.52m x 0.78m



Timber flooring 3.0m x 3.0m

## Timber Flooring Kits

Made from 100% Australian renewable plantation grown timber. Pre-measured, pre-cut and pre-treated giving long-term protection from insect and fungal attack, lifting the shed up off the ground. Ideal for sloping sites. Easy to assemble with full instructions. Not recommended in high wind areas. Manufacturer's 10 year warranty. Flooring kit sizes: 1.52m x 0.78m and 3.0m x 3.0m

Shed	Kits required
1.5m x 0.8m	1
1.5m x 1.5m	2
2.3m x 0.8m	1.5
2.3m x 1.5m	3
2.3m x 2.3m	4.5
3.0m x 2.26m	6
2.3m x 1.5m	3

# CYCLONE KIT

Most Absco garden sheds are rated W41C (C1) to withstand winds of up to 147km/hr. Absco products fitted with relevant sized Cyclone Kits as per the product table below ensures the product is rated to W50C (C2) and can withstand up to 180km/hr winds.

Cyclone Kits are not suitable for the Space Saver Range, Ezi Storage Range, Highlander Range, basic Range and all Aviaries.



KIT TYPE	SUITABLE FOR SHEDS	SHED TYPE
CYC23	Up to 2.3m x 2.3m	Regent and Premier Ranges ONLY
CYC30	Up to 3.0m x 3.0m	Regent and Premier Ranges ONLY
CYC30372	30372RK	Regent 30372RK shed ONLY
CYC4560	4.5m (L) and 6.0m (L)	Workshop and Utility Ranges ONLY

## Features and Benefits:

- Made from quality Australian galvanised heavy duty steel
- The addition of an Absco Cyclone Kit upgrades your shed from 147km/hr winds to 180km/hr winds - cyclone proof
- Easy to install with most components pre cut to size.
- Installation of your Absco Cyclone Kit is required after shed assembly.

## Customer Testimonial

"We have a block of land in Mission Beach with an Absco Shed on it. Our shed had survived both Cyclone Larry and Cyclone Yasi and we couldn't be happier or more relived to find it was still in tact thanks to the Absco Cyclone Kit installed."

**Patrick, Mission Beach QLD.**

Queensland wind ratings for Absco garden sheds WITH cyclone kits**	Queensland wind ratings for Absco garden sheds WITHOUT cyclone kits***
Generally supplied in cyclonic areas, north of Bundaberg within 100 km of the coastline.	Generally supplied in most areas of Queensland, excluding areas north of Bundaberg that are within 100 km of the coastline.
These models (with cyclone kits) are engineered to the following categories: Cyclonic region C, classification group 3 (C2 - W50C).	These models (without cyclone kits) are engineered to the following categories: Non-cyclonic regions A & B, classification group 2, N3-W41C.

# SNOW FRAMES

Ensures the strength of your garden shed during Winter months.  
Fits inside 3m wide garden sheds.



Model No. SNOW3018



The number of Snow Frames required depends on the size of the shed. Please refer to our website [www.abscosheds.com.au](http://www.abscosheds.com.au)

# HOW TO CHOOSE AN ABSCO SHED

## Step 1 - Size

The first step is deciding what you are going to store, how much room you are going to need in your shed and what space is available. Normally sheds smaller than 3m x 3m (9m<sup>2</sup>) do not require council approval. If in doubt check with your local building authority.

It is recommended that you lay a concrete slab prior to building your shed, adding approximately 50mm to each side of the shed base dimensions. When laying the concrete slab, chamfer the 50mm edges downwards by 10mm. This will ensure water runoff is kept clear from the shed.

## Step 2 - Roof and doors

Once you have chosen the size and where your shed will go in your garden, yard or house you need to choose the roof type and doors you would like. Some Absco sheds come with gabled or skillion roof options, and some ranges come with single, double, hinged or sliding door options.

The Space Saver range of sheds (page 3) have a sloping roof designed specifically for small areas. Fitting snugly under the eaves of your home the Space Saver range of sheds are roomy enough to store all of your tools and sporting equipment while the sloping roof directs water away from your home wall.

Regent and Premier garden sheds (page 4 and 6) can be placed anywhere in your yard. Designed with a roof ridge beam both the Regent and Premier sheds have hinged doors for added security.

## Step 3 - Colour

If your shed is going to be hidden out of sight Zinalume® is an economical colour option. To add value to your home we would recommend choosing from a variety of COLORBOND® colours. The COLORBOND® options are listed below by shed type.

ABSCO products are manufactured from Australian made BlueScope Steel materials, and are available in Zinalume®, and these COLORBOND® colours, with white trim unless otherwise stated.

Colour codes for ordering

Zinalume® walls and roof are Zinalume®, COLORBOND® walls and roof are Colorbond®. When ordering any shed add the following prefixes to the product code:

- ZA = Zinalume®
- PE = Pale Eucalypt
- DO = Deep Ocean®
- PB = Paperbark®
- CC = Classic Cream™
- WG = Woodland Grey®

Colour options by shed type.	Zinalume® (ZA)	Pale Eucalypt (PE)	Deep Ocean® (DO)	Paperbark® (PB)	Classic Cream™ (CC)	Woodland Grey® (WG)
Premier	✓	✓	✓	✓	✓	✓
Regent		✓		✓	✓	✓
DAYLITE	✓	✓			✓	✓
Space Saver	✓	✓			✓	✓
Workshop	✓	✓			✓	✓
Utility	✓	✓			✓	✓
Highlander	✓	✓			✓	✓
Pool Pump Cover	✓	✓			✓	✓
Ezislidder	✓	✓			✓	
Ezislidm	✓	✓			✓	
Economy	✓					
Aviaries	✓	✓				
Patio Cover (Roof only, posts and frame is CC)	✓	✓		✓	✓	✓

## Step 4 - Cyclone Kit

Most Absco sheds are approved to Australia Standards AS11790.2.02 cyclonic conditions (N3, C1 & W41C). If your shed is going to be placed in a high wind area you may have to consider installing a Cyclone Kit for added strength. Absco Cyclone Kits have a wind rating of N3 W50 and will offer you greater protection in high wind areas and cyclonic conditions. See page 19 for our range of Cyclone Kits and how to choose the right kit for your shed. If you reside in a cyclonic region please note the information on page 21 prior to making your purchase.



# GUIDELINES FOR PURCHASING AND BUILDING ABSCO PRODUCTS IN CYCLONIC REGIONS:

Absco Sheds, Garages, Carports and Awnings are not suitable for construction and will not gain council building approval in the following cyclonic regions within 100KM of the coastline:

- North of Carnarvon in Western Australia, to the northern coastline of the Northern Territory, including Darwin.

Most Absco products (excluding Garages and Highlander Garden Sheds) are suitable for construction in Queensland Cyclonic regions (W41C-C1, W50C-C2), within 100km of the coastline, North of Bundaberg.

For construction of Absco Sheds, carports and awnings in Queensland cyclonic regions it is essential that you apply for and attain written council building approval before you purchase.

Once you have selected your Absco product, email the model number together with your site address to: [admin@absco.com.au](mailto:admin@absco.com.au) and we will email you the corresponding engineering documentation that you will need to submit for your building permit.

**Absco will not accept any responsibility or liability, for any Absco product supplied or constructed within a cyclonic region prior to receiving a written building approval that may subsequently fail to receive final building certification.**

**SELECT PRODUCT → ABSCO PLANS → BUILDING APPROVAL → PURCHASE → CONSTRUCTION**

## NOTES

### Required size

---

---

---

### Required colour

---

---

---

### Required roof type

---

---

---

# ABSCO SHEDS MATRIX TABLE

## WITH DIMENSIONS AND WIND RATINGS

The addition of an Absco Cyclone Kit enables you to upgrade your shed to wind rating N3 W50 (C2).

CODE	SHED SIZE					CLEARANCES		WIND RATING				CYCLONE KIT UPGRADE
	Width (mW)	Depth (mD)	Wall Height (mH)	Highest Point (mH)	Gable Height (mH)	Door		W33	W37	W41 (C1)	W50 (C2)	
						Width (mm)	Height (mm)					
PREMIER												
15151GK	1.52	1.52	1.80	1.95		750	1725				✓	
23151GK	2.26	1.52	1.80	1.95		750	1725			✓		✓
23231GK	2.26	2.26	1.80	2.00		750	1725			✓		✓
23301GK	2.26	3.00	1.80	2.06		750	1725			✓		✓
30152GK	3.00	1.52	1.80	1.95		1530	1725			✓		✓
30232GK	3.00	2.26	1.80	2.00		1530	1725			✓		✓
30302GK	3.00	3.00	1.80	2.06		1530	1725			✓		✓
REGENT												
15141RK	1.52	1.44	1.80	1.95		750	1725				✓	
23141RK	2.26	1.44	1.80	2.00		750	1725			✓		✓
23221RK	2.26	2.18	1.80	2.00		750	1725			✓		✓
30142RK	3.00	1.44	1.80	2.06		1530	1725			✓		✓
30222RK	3.00	2.18	1.80	2.06		1530	1725			✓		✓
30292RK	3.00	2.92	1.80	2.06		1530	1725			✓		✓
30372RK	3.00	3.66	1.80	2.06		1530	1725			✓		✓
DAYLITE												
15151DK	1.52	1.52	2.08	2.08		750	1725				✓	
HIGHLANDER												
30292HK	3.00	2.92	2.05	2.30		1530	1970	✓				
3045HK	3.00	4.48	2.05	2.30		2290	1970	✓				
3060HK	3.00	5.96	2.05	2.30		2290	1970	✓				
45232HK	4.48	2.26	2.05	2.21		1530	1725	✓				
60303HK	5.96	3.00	2.05	2.30		1530	1970	✓				
SPACESAVER												
15081SK	1.52	0.78	1.80	1.95		750	1725				✓	
15151SK	1.52	1.52	1.80	2.08		750	1725				✓	
23081SK	2.26	0.78	1.80	1.95		750	1725			✓		
23151SK	2.26	1.52	1.80	2.08		750	1725			✓		
30082SK	3.00	0.78	1.80	1.95		1530	1725			✓		
30151SK	3.00	1.52	1.80	2.08		750	1725			✓		
BASIC												
15231FK	1.52	2.26	1.80	1.80		750	1725			✓		
15301FK	1.52	3.00	1.80	1.80		750	1725			✓		
WORKSHOP												
45232WK	4.48	2.26	1.80	2.00		1530	1725			✓		✓
45302WK	4.48	3.00	1.80	2.06		1530	1725			✓		✓
60303WK	5.96	3.00	1.80	2.06		1530	1725			✓		✓
UTILITY												
3045UTK	3.00	4.48	1.80	2.06		2290	1725			✓		✓
3060UTK	3.00	5.96	1.80	2.06		2290	1725			✓		✓
EZI STORAGE RANGE												
08081FK	0.78	0.78	1.80	1.80		690	1725				✓	
08151FK	0.78	1.52	1.80	1.80		690	1725				✓	
30082EK	3.00	0.78	1.80	1.95		1440	1725			✓		

Absco Sheds have undertaken every effort to ensure all images, pricing and product information is correct and relevant at the time of printing. We reserve the right to correct printing errors at any time without notice. Images included in this catalogue are for illustrative purposes only and may not show all or correct colours, product features and/or optional extras.





CODE	SHED SIZE					CLEARANCES				WIND RATING				
	Width (mW)	Depth (mD)	Wall Height (mH)	Highest Point (mH)	Gable Height (mm)	Door		Skillion		W33	W37	W41 (C1)	W41N (N3)	W50 (C2)
						Width (mm)	Height (mm)	Lowest Point (mm)	Highest Point (mm)					
AVIARIES														
A15081FK	1.52	0.78	1.80	1.80		700	1160							
A15151FK	1.52	1.48	1.80	1.80		700	1160							
A15301FK	1.52	2.96	1.80	1.80		700	1160							
A23151GK	2.26	1.48	1.80	2.00		700	1160							
A23231GK	2.26	2.22	1.80	2.00		700	1160							
A30231GK	3.00	2.22	1.80	2.06		700	1160							
POOL PUMP COVER														
PPCK	1.52	1.52	1.22	1.49		770	1140							✓
PATIO COVER														
AWN33	3.00mL	3.00	3.00											✓
AWN63	6.00mL	3.00	3.00											✓
CARPORTS - SKILLION														
CPSW41	3.00	5.50	2.25					2060	2340			✓		
CPSW50	3.00	5.50	2.25					2060	2340					✓
DOUBLE														
CPDW41	5.50	5.50	2.25					2060	2340			✓		
CPDW50	5.50	5.50	2.25					2060	2340					✓
CARPORTS - GABLE														
GCPSW41	3.00	6.00	2.25		2250			2250	2650			✓		
GCPSW50	3.00	6.00	2.25		2250			2250	2900					✓
DOUBLE														
GCPDW41	6.00	6.00	2.25		2250			2250	2900			✓		
GCPDW50	6.00	6.00	2.25		2250			2250	2900					✓
GARAGES - SINGLE														
G644124TD	3.70	6.00	2.35		2680	2760	2150						✓	
G644127RD	3.70	6.00	2.65		2980	2760	2150						✓	
COMPACT GARAGES														
COM3541BN	3.40	5.50	2.17		2470	2470	2180						✓	
COM3541BC	3.40	5.50	2.17		2470	2470	2180						✓	
COM3541TN	3.40	5.50	2.17		2470	2470	2000						✓	
COM3541TC	3.40	5.50	2.17		2470	2470	2000						✓	
COM5541BN	5.60	5.50	2.17		2660	4400	2210						✓	
COM5541BC	5.60	5.50	2.17		2660	4400	2210						✓	
COM5541TN	5.60	5.50	2.17		2660	4400	2030						✓	
COM5541TC	5.60	5.50	2.17		2660	4400	2030						✓	
GARAGES - TILT DOOR														
G664124T1	6.00	6.00	2.35		2870	4530	2130						✓	
GARAGES - ROLLER DOORS														
G663325R2	6.00	6.00	2.50		3020	2400	2100			✓				

# WHY CHOOSE ABSCO SHEDS?

- 30 year written warranty - The longest in the market
- Australian made and owned with over 35 years experience
- SNAPTITE Assembly = Amazing assembly speed and strength
- Engineered to withstand cyclonic conditions (147 km/hr winds)
- Made from superior quality BlueScope Steel
- Pre-punched holes and safety edges means quicker, safer assembly
- Superior wall rigidity
- Braced doors



Scan with a QR code reader to access Absco informational and instructional videos.

## The SNAPTITE Revolution

An innovative patented design that dramatically reduces the time and effort required to assemble the range of Absco sheds.

## Assembles up to 80% faster!

A separate, step by step assembly instruction booklet is supplied for each different size and model of product. Most components are marked with individual part numbers, which are also clearly identified throughout the three dimensional drawings displayed in the assembly instruction booklets.

## Engineered to withstand 147km/h winds

Most Absco garden sheds are engineered to a wind rating of W41C, to withstand wind speeds of 147km per hour. Cyclone kits are also available to upgrade your Absco garden shed in cyclonic areas, to W50C, for wind speeds of up to 180km per hour.

## Reinforced hinged doors

All Absco garden sheds and storage units are supplied with fully pre-punched diagonal door braces for added security, strength and rigidity.

## Wall heights

Unless specified, all Absco garden sheds, storage units and aviaries have a minimum wall height of 1785mm.

## Single and double door options

- Single Door models: 750mm
- Double Door models: 1530mm

## Great range of shed accessories

- Anchor kits
- Shed blankets
- Shelving
- Skylight
- Sliding perspex window
- Timber flooring kit

## All stocked products are ready for despatch from the factory within 48 hours

Absco Garden Sheds, Storage Units and Aviaries are supplied in kit form, packed into specially designed reinforced cartons. The number of cartons varies with shed sizes (garages, awnings and carports may take longer).



## Absco Sheds:

6-12 Activity St, Acacia Ridge QLD 4110

**Post:** PO Box 119, Acacia Ridge QLD 4110

**Ph:** 1800 029 701 (free call) **F:** (07) 3344 1191

**W:** [www.abscosheds.com.au](http://www.abscosheds.com.au) **E:** [admin@absco.com.au](mailto:admin@absco.com.au)